

STANDARD TRIMS & FLASHINGS

CONTENTS

Trim Type	Description	Drawing #	Page #
Base & Drip Trims (B)	Base Trim - 1 1/2" Panel - Colour One Side (C.O.S.)	M04	1
	Base Trim - 1 1/2" Panel - Colour Both Sides (C.B.S.)	M30	1
	Base Trim - 1 1/2" Panel - Colour One Side (C.O.S.) High Back	M132	2
	Base Trim - 1 1/2" Panel - Colour Both Sides (C.B.S.) High Back	M124	2
	Base Trim - 5/8" - 3/4" Panel Colour One Side (C.O.S.)	M141	3
	Base Trim - 5/8" - 3/4" Panel Colour Both Sides (C.B.S.)	M148	3
	Base Trim - 5/8" - 3/4" Panel Colour One Side (C.O.S.) High Back	M157	4
	Base Trim - 5/8" - 3/4" Panel Colour Both Sides (C.B.S.) High Back	M155	4
	Base Trim - Rat Guard - 5/8" - 3/4" Panel Colour One Side (C.O.S.)	M248	5
	Drip Trim - Mansard - 1 1/2" Panel	M27	5
	Drip Trim - Header - 1 1/2" Panel - Colour Both Sides (C.B.S.)	M112	6
	Drip Trim - Header - 5/8" - 3/4" Panel - Colour Both Sides (C.B.S.)	M151	6
	Panel Transition Trims - 5/8" - 3/4" Panel	M233, M279, M280	7
	Track Cover	M114	7
	Track Cover - 5/8" - 3/4" Panel	M240	8
	Track Cover - 5/8" - 3/4" Panel	M281	8
	End Cap - Track Cover (M281) - Right	M272	9
	End Cap - Track Cover (M281) - Left	M271	9
'Z' Flashing for Bi-Fold Door - 1 1/2" Panel - Colour Both Sides (C.B.S.)	M227	10	
Corner Trims (C)	'J' Trim - 1 1/2" Panel - Colour Both Sides (C.B.S.)	M05	10
	'J' Trim - 5/8" - 3/4" Panel - Colour One Side (C.O.S.)	M225	11
	'J' Trim - 5/8" - 3/4" Panel - Colour Both Sides (C.B.S.)	M142	11
	'J' Packer - 1 1/2" - Colour One Side (C.O.S.)	M07	12
	'J' Packer - 3/4" - Colour One Side (C.O.S.)	M143	12
	Jamb Trim - 1 1/2" Panel	M103	13
	Jamb Trim - 1 1/2" Panel	M113	13
	Jamb Trim - 5/8" - 3/4" Panel	M152	14
	8" Jamb Trim - 5/8" - 3/4" Panel	M241	14
	6" Jamb Trim - 5/8" - 3/4" Panel	M251	15
	9" Jamb Trim - 5/8" - 3/4" Panel	M252	15
	Jamb Wrap Trim (8" CEE)	M108	16
	Jamb Wrap Trim (10" CEE)	M109	16
	Corner Trim - Outside - 1 1/2" Panel	M06	17
	Corner Trim (With Profile) - Outside - 1 1/2" Panel	M128	17
	Corner Trim - Outside - 1 1/2" Panel	M140	18
	Corner Trim - Inside - Up To 1 1/2" Panel	M10	18

Custom trims and flashings are available upon request.

ExSteel trims and flashings are available in a number of standard colours. Please refer to the ExSteel Cladding Colour Availability Chart. Optional colours and coatings are available by special order.

exsteel
BUILDING COMPONENTS

STANDARD TRIMS & FLASHINGS

CONTENTS

Trim Type	Description	Drawing #	Page #
Corner Trims (C)	Corner Trim - Inside - 1 1/2" Panel	M138	19
	Corner Trim - Inside - 1 1/2" Panel	M15	19
	Corner Trim - Outside - 5/8" - 3/4" Panel	M273	20
	Corner Trim (With Profile) - Outside - 5/8" - 3/4" Panel	M156	20
	Corner Trim - Outside - Up to 3/4" Panel	M146	21
	Corner Trim - Outside - 5/8" - 3/4" Panel	M254	21
	Corner Trim - Inside - 5/8" - 3/4" Panel	M253	22
	Corner Trim - Inside - 5/8" - 3/4" Panel	M33	22
	Liner Cap Trim - 1 1/2" Panel - Colour Both Sides (C.B.S.)	M133	23
	Liner Cap Trim - 5/8" - 3/4" Panel - Colour Both Sides (C.B.S.)	M158	23
	Liner Cap Trim - 5/8" - 3/4" Panel - Colour One Side (C.O.S.)	M226	24
	Sliding Door Trim - 5/8" - 3/4" Panel	M242	24
	Sliding Door Trim - 5/8" - 3/4" Panel	M260	25
	Window Trim - 5/8" - 3/4" Panel	M250	25
	Wall Cap - Gable (M03) - 1 1/2" Wall Panel	M104	26
	Overhang Soffit Trim - 1 1/2" Panel	M232	26

Eave Trims (E)	Low Eave Trim (With Profile) - Screw Down/RTL-24 Roof - Up to 1 1/2" Wall Panel	M02	27
	Low Eave Trim (With Profile) - Screw Down/RTL-24 Roof - 5/8" - 3/4" Wall Panel	M41	27
	Low Eave Overhang Trim (With Profile) - 12" Purlin - 1 1/2" Soffit Panel	M229	28
	Low Eave Overhang Trim (With Profile) - Screw Down Roof - 10" Purlin - 1 1/2" Soffit Panel	M31	28
	Low Eave Overhang Trim (With Profile) - 8" Purlin - 1 1/2" Soffit Panel	M228	29
	Low Eave Trim (Without Profile)	M18	29
	Low Eave Trim (Without Profile) - Screw Down Roof - 5/8" - 3/4" Panel	M284	30
	High Eave Trim (With Profile) - Screw Down Roof - 1 1/2" Wall Panel	M11	30
	End Cap - High Eave (M11) - Right	M90	31
	End Cap - High Eave (M11) - Left	M91	31
	High Eave Trim (With Profile) - 5/8" - 3/4" Screw Down Roof - 5/8" - 3/4" Wall Panel	M144	32
	High Eave Trim (With Profile) - 1 1/2" Screw Down Roof - 5/8" - 3/4" Wall Panel	M145	32
	High Eave Trim (With Profile) - RTL-24 - 5/8" - 3/4" Wall Panel	M147	33
	High Eave Trim (Without Profile) - Screw Down Roof	M20	33
	High Eave Trim -RTL-24 - 1 1/2" Wall Panel	M24	34
	Flashing Behind Gutter	M09	34
	End Cap - High Eave (M24) - Right	M106	35
	End Cap - High Eave (M24) - Left	M107	35
	Flashing Behind Gutter - 1 1/2" Wall Panel	M102	36
	Gutter - Screw Down Roof	M12	36

Custom trims and flashings are available upon request.

ExSteel trims and flashings are available in a number of standard colours. Please refer to the ExSteel Cladding Colour Availability Chart. Optional colours and coatings are available by special order.

exsteel
BUILDING COMPONENTS

STANDARD TRIMS & FLASHINGS

CONTENTS

Trim Type	Description	Drawing #	Page #
Eave Trims (E)	End Cap - Gutter (M12) - Right	M50	37
	End Cap - Gutter (M12) - Left	M51	37
	Gutter - RTL-24 3:12 Slope and Below	M139	38
	Gutter - RTL-24 - Over 4:12 Slope	M13	38
	Gutter Cap - (M13/M139) - Right	M52	39
	Gutter Cap - (M13/M139) - Left	M53	39
	Re-Roof Edge Trim	M245	40
	Canopy Fascia Trim	M118	40
	Snow Guard * Please see below	M243	41
	Eave - 8" Soffit/8" Fascia Trim - Screw Down Roof - 5/8" - 3/4" Panel	M239/M239P	41
	Eave - 12" Soffit/8" Fascia Trim - Screw Down Roof - 5/8" - 3/4" Panel	M256/M256P	42
	Eave - 8" Soffit/8" Fascia Trim With Drip - Screw Down Roof - 5/8" - 3/4" Panel	M257/M257P	42
	Eave - 12" Soffit/8" Fascia Trim With Drip - Screw Down Roof - 5/8" - 3/4" Panel	M258/M258P	43
	Gable Trims (G)	Gable Trim (With Profile) - Screw Down Roof - Up to 1 1/2" Wall Panel	M03
End Cap - Gable (M03) - Eave (M02) - Right		M61	44
End Cap - Gable (M03) - Eave (M02) - Left		M62	44
Gable Trim (With Profile) - Screw Down Roof - 3" Wall Panel		M48	45
Gable Trim (With Profile) - 5/8" - 3/4" Wall Panel		M42	45
End Cap - Gable (M42) - Eave (M41) - Right		M73	46
End Cap - Gable (M42) - Eave (M41) - Left		M72	46
Gable Trim (Without Profile) - Screw Down Roof - Up to 1 1/2" Wall Panel		M19	47
Gable Trim (Without Profile) - Screw Down Roof - 5/8" - 3/4" Wall Panel		M285	47
Gable Trim Start (With Profile) - RTL-24 - Floating - 1 1/2" Wall Panel		M120	48
Gable Trim Start (With Profile) - RTL-24 - Floating - 3" Wall Panel		M122	48
End Cap - Panel Void Closure (M120) - Right		M134	49
End Cap - Panel Void Closure (M120) - Left		M135	49
End Cap - Gable (M122) - Right		M77	50
End Cap - Gable (M122) - Left		M78	50
End Cap - Gable (M120) - Right		M57	51
End Cap - Gable (M120) - Left		M58	51
Gable Trim Start (With Profile) - RTL-24 - Floating - 5/8" - 3/4" Wall Panel		M153	52
Gable Trim Termination (With Profile) - RTL-24 - Floating - 1 1/2" Wall Panel		M121	52
End Cap - Gable (M121) - Right		M59	53
End Cap - Gable (M121) - Left		M60	53
Gable Trim Termination (With Profile) - RTL-24 - Floating - 1 1/2" Wall Panel		M123	54
Gable Trim Termination (With Profile) - RTL-24 - Floating - 5/8" - 3/4" Wall Panel		M154	54

* M243 Snow guards should be installed by qualified roofers who can competently consider factors such as roof type, panel thickness, roof slope, and snow loads in determining proper snow guard sizing, design and placement.

Custom trims and flashings are available upon request.

ExSteel trims and flashings are available in a number of standard colours. Please refer to the ExSteel Cladding Colour Availability Chart. Optional colours and coatings are available by special order.

exsteel
BUILDING COMPONENTS

STANDARD TRIMS & FLASHINGS

CONTENTS

Trim Type	Description	Drawing #	Page #
Gable Trims (G)	Gable Trim Clip - RTL-24 - Floating	M119	55
	Gable Overhang Trim (With Profile) - 12" Purlin - 1 1/2" Soffit Panel	M231	55
	Gable Overhang Trim (With Profile) - Screw Down Roof - 10" Purlin - 1 1/2" Soffit Panel	M32	56
	Gable Overhang Trim (With Profile) - 8" Purlin - 1 1/2" Soffit Panel	M230	56
	Gable - 8" Soffit/4" Fascia Trim - Screw Down Roof - 5/8" - 3/4" Panel	M237	57
	Wall Cap - Gable (M120/M121/M123) - 1 1/2" Wall Panel	M125	57
	Wall Cap - Gable (M03) - 5/8" - 3/4" Wall Panel	M149	58
	Re-Roof Edge Trim	M245	58
	End Cap - Ridge Cap (M01/M28)	M75	59
	High/Low Eave Flashing	M101	59
Ridge (R)	Ridge Cap - Screw Down Roof	M01	60
	Ridge Cap - Screw Down Roof	M282	60
	Ridge Cap - Screw Down Roof	M263	61
	Ridge Cap - RTL-24	M28	61
	Vented Ridge Cap	M255, M277, M278	62
	Transition Cap (M255, M277, & M278)	M283	62
	End Cap - Vented Ridge Cap (M255, M277 & M278)	M261	63
	Vented Ridge Cap Strap (M255, M277 & M278)	M262	63
	Cap Trim	M35	64
Liner Ridge Cap	M26	64	
Transition (T)	End Cap - Box Void Closure - (M121)	M74	65
	Ridge Box - Gable (M237)	M274	65
	Corner Box - Gable (M237) - Eave (M239 & M257) - Right	M276	66
	Corner Box - Gable (M237) - Eave (M239 & M257) - Left	M275	66
	Corner Box - Gable (M237) - Eave (M256 & M258) - Right	M297	67
	Corner Box - Gable (M237) - Eave (M256 & M258) - Left	M296	67
	High/Low Eave/Gable Flashing	M234	68
	High/Low Gable Flashing	M25	68
	Eave/Gable Vapour Barrier Flashing	M34	69
	High/Low Flashing - RTL-24 - Floating (Lower Part)	M115	69
	High/Low Flashing - RTL-24 - Floating (Upper Part)	M116	70
	Canopy High/Low Flashing	M117	70
	'V' Valley Trim - Screw Down Roof	M235	71
	'W' Valley Trim - 24" - Screw Down Roof	M236	71
'W' Valley Trim - 34" - Screw Down Roof	M249		

Custom trims and flashings are available upon request.

ExSteel trims and flashings are available in a number of standard colours. Please refer to the ExSteel Cladding Colour Availability Chart. Optional colours and coatings are available by special order.

exsteel
BUILDING COMPONENTS

STANDARD TRIMS & FLASHINGS

CONTENTS

Trim Type	Description	Drawing #	Page #
Transition (T)	Gambrel Flashing	M238	72
	Pitch Change	M244	73
	Transition Flashing - RTL-24	M111	73
Closures (Cl)	Closure - Metal - StormSeal - Large Tab	M79	74
	Closure - Metal - StormSeal - Small Tab	M80	74
	Closure - Metal - StrucSeal - Large Tab	M246	75
	Closure - Metal - StrucSeal - Small Tab	M247	75
	Closure - Foam - VersaSeal - Small Tab	CLSVS-SM	76
	Closure - Foam - VersaSeal - Large Tab	CLSVS-LG	76
	Closure - Foam - StrucSeal - Small Tab	CLSWP-SM	77
	Closure - Foam - StrucSeal - Large Tab	CLSWP-LG	77
	Closure - Foam - StormSeal - Small Tab	CLS-SM	78
	Closure - Foam - StormSeal - Large Tab	CLS-LG	78
	Closure - Foam - DiamondSeal - Small Tab	CLSDS-SM	79
	Closure - Foam - DiamondSeal - Large Tab	CLSDS-LG	79
Accents (A)	Accent Band #1	M264	80
	Accent Band #2	M265	80
	Accent Band #3	M266	81
	Accent Band #4	M267	81
	Accent Band #5	M268	82
	Accent Band #6	M269	82
	Accent Band #7	M270	83
Downspouts	Downspout - 4" x 3"	M14	83
	Downspout Flange	M16	84
	Downspout Strap (M14)	M17	84
RTL Part	Termination Zee - RTL-24 - Coloured	M46	85
	Termination Zee - RTL-24	RZ242	85
	Slotted High Zee Plate - RTL-24	EP250	86
	Slotted Low Zee Plate - RTL-24	EP150	86
	Low Zee Plate - RTL-24	EP140	87
	High Zee Plate - RTL-24	EP240	87

Custom trims and flashings are available upon request.

ExSteel trims and flashings are available in a number of standard colours. Please refer to the ExSteel Cladding Colour Availability Chart. Optional colours and coatings are available by special order.

exsteel
BUILDING COMPONENTS